MATERIAL SAFETY DATA SHEET

SECTI	ON 1 - PR	ODUCT AN	ID COMP	ANY IDENTIFICA	TION	
PRODUCT NAME: PRODUCT NUMBER:	Mitsubishi	SDP - α OH I	Plate Prese		DATE:	January 7, 2010
TRADE NAME: Mitsubishi S	DP - α OH Pla	ate Preserver				
GENERAL USE: Plate preser	ver for SDP - (a System		Mitsubi	shi	
CHEMICAL FAMILY: Petroleum d		a eyetein				Ino.
PRODUCT DESCRIPTION:				Imaging	g (MPI	M), Inc.
White opaque liquid, characteristic petro	oleum odor					
MANUFACTURER			DATE PREF	ARED: January	7, 2010	
Mitsubishi Paper Mills Ltd.			SUPERSED	ES: July 20,	2009	
ADDRESS (NUMBER, STREET, P.O. E	BOX)		TELEPHON	E NUMBER FOR INFOR	MATION / Custo	omer Service
4-2 Marunouchi 3-Chome				03-321	3-3641	
(CITY, STATE AND ZIP CODE)		COUNTRY	Chemtr	ec 24-HOUR EMERG	ENCY TELEPH	HONE NUMBER
Chiyoda-ku, Tokyo 100-005		Japan		1-800-424-9300	01-7	703-527-3887
			Nor	th America Toll Free	lı	nternational
DISTRIBUTOR			TELEPHON	E NUMBER FOR INFOR	MATION / Custo	omer Service
Mitsubishi Imaging (MPM), Inc.				(914) 92		
ADDRESS (NUMBER, STREET, P.O. E	BOX)			ec 24-HOUR EMERG		
555 Theodore Fremd Avenue				1-800-424-9300		703-527-3887
(CITY, STATE AND ZIP CODE)		COUNTRY	Nor	th America Toll Free	lı	nternational
Rye, NY 10580		USA				
	SECTION	I 2 - HAZA	RDOUS	INGREDIENTS		
Hazardous Components	% (by Weight)	CAS	6#	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
Petroleum distillate, aromatic	20-30	64742	-94-5	265-198-5	Xn, N	R-51/53, 65, 66, 67
Hazard Communication Standard (29 C European Union Directive 91/155/EEC. ingredient. Unlisted ingredients are not Workplace Hazardous Materials Informa under US Federal Law (29CFR and 400	Hazard symbo "hazardous" po ation System (ols and risk phi er the OSHA H WHMIS) or the	rases are bas lazard Comm European (0	sed on maximum listed c nunication Standard (29 (GHS) directive 91/155/EE	oncentration of e CFR 1910.1200) EC and are cons	each hazardous , the Canadian idered trade secrets
	SECTION	N 3 - HAZA	ARDS ID	ENTIFICATION		
EMERGENCY OVERVIEW						
White opaque combustible liquid, poten irritation upon contact. Inhalation of vap product - Xn, N Risk Phrases - R 51/53,	ors can cause					
POTENTIAL HEALTH EFFE	CTS					
INHALATION: High concentrations are irritating to the	respiratory tra	ct: may cause	headache di	zziness nausea vomitin	a and malaise	
		ot, may badde			g and malalee.	
SKIN: Brief contact may cause slight irritation;	prolonged cor	ntact may caus	e moderate i	rritation or dermatitis.		
EYES:						
High vapor concentration or contact ma	y cause irritatio	on and discom	fort.			
INGESTION:						
May result in vomiting; aspiration of von can produce severe lung injury, chemica		0	-	•	nute amounts as	pirated into the lungs
CARCINOGENICITY:						
NTP? NO	IARC MO	NOGRAPHS?	NO	OSHA	REGULATED?	NO
CALIFORNIA, Prop.65?	NO			F.	SIS NOTATION?	NO

MATERIAL SAFETY DATA SHEET

	Mitsubishi	SDP - α OH	Plate Pres	erver			•••••	
PRODUCT NUMBER:	0507/				DAT	E:	January	7, 2010
	SECTI	ON 4-FIF	RST AID	MEASURES	S			
INHALATION:								
Remove affected person to fresh air; pro and seek emergency medical attention.	ovide oxygen i	breathing is o	difficult; if affe	ected person is n	iot breathing,	administer (JPR	
EYES:								
Remove contact lenses. Immediately flu	ush eyes for 1	5 minutes in cl	ear running	water while holdi	ng eyelids op	en; seek me	edical atter	ntion.
SKIN:								
Remove contaminated clothing; wash af persists, seek medical attention.	fected area w	th soap and w	ater; launde	r contaminated c	lothing before	e reuse; if irr	itation	
INGESTION:								
DO NOT induce vomiting; if vomiting occ immediate medical attention. Vomiting n						a into lungs	; seek	
	-	-	-	IG MEASUF				
GENERAL HAZARDS:	SECTION	J-TIKE	1101111					-
Product is combustible. FLASH POINT I	S 136 4ºE (58	°C) TCC Proc	lucts of com	oustion include c	ompounds of	carbon hyd	Irogen and	oxvaen
including carbon monoxide.	00, 11,001	0)100.1100				ourbon, nye	liogen and	i oxygen,
EXTINGUISHING MEDIA:								
Carbon Dioxide, water, water fog, dry ch	nemical, chemi	cal foam.						
FIRE FIGHTING PROCEDURES:								
Keep containers cool with water spray to	prevent cont	ainer rupture o	lue to pressu	ire buildup. Caut	ion - material	is combusti	ble!	
UNUSUAL FIRE AND EXPLOSION HAZ	ZARDS:							
Closed containers can explode due to b		sure when exp	osed to extre	eme heat.				
HAZARDOUS COMBUSTION PRODUC								
Smoke, fumes, oxides of carbon.								
SEC	CTION 6-	ACCIDEN	TAL REL	EASE MEA	ASURES			
STEPS TO BE TAKEN IN CASE MATE								
Evacuate and ventilate area; remove all				nes; confine and	absorb into a	pproved ab	sorbent; pl	ace
material into approved containers for dis								
	SECTION	17 - HAN	DLING A	ND STORA	GE			
PRECAUTIONS TO BE TAKEN IN HAN	IDLING AND S	STORAGE:						
This material is combustible. It should be								
in air. All sources of ignition should be c	ontrolled. Kee	p this and othe	er chemicals	out of reach of c	hildren. Avoid	inhaling co	ncentrated	I fumes or
vapors.								
SECTION 8	B - EXPOS			PERSONAL				
HAZARDOUS COMPONENTS	714/4		DSH	OTEL		CGIH		SHA
HAZANDOUS COMI ONENTS	TWA (ppm)	TWA (mg/m3)	STEL (ppm)	STEL (mg/m3)	TLV/TWA ppm	TWA (mg/m3)	STEL (ppm)	STEL (mg/m3)
Petroleum distillate, aromatic	400				400		NE	
PERSONAL PROTECTION								
RESPIRATORY PROTECTION:								
None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator								
must be worn. Refer to 29 CFR 1910.13	•							
PROTECTIVE GLOVES:								
Neoprene gloves, nitrile rubber gloves v	with cuffs.							
EYE PROTECTION:								
Protective eyeglasses or chemical safety	y goggles. Re	fer to 29 CFR	1910.133 or	European Stand	dard EN166.			
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:								
Safety eyewash station nearby.								
WORK / HYGIENIC PRACTICES:								
Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.								
		, -	-	U -				

PRODUCT NAME: PRODUCT NUMBER:	Mitsubishi SDP - α OH	Plate Preserver	DA	ΓΕ: January 7, 2010		
		AND CHEMICAL PROP				
APPEARANCE AND ODOR	UN 9-PHISICAL	VAPOR PRESSURE		3		
White opaque liquid, characteristic pe	17 mm Hg @ 20° C					
pH	SPECIFIC GRAVITY (WATER = 1)					
4.8 ± 0.2		1.031 ± 0.005	• /			
BOILING POINT / BOILING RANGE		SOLUBILITY IN WATER				
212° F (100° C)		Emulsifies				
FLASH POINT		VISCOSITY				
136.4ºF (58ºC) TCC		Not Specified				
FLAMMABLE LIMITS		VAPOR DENSITY (AIR = 1)				
LEL: NE UEL:	NE					
AUTO-IGNITION TEMPERATURE ND		EVAPORATION RATE (WATE < 1	R = 1)			
VOLATILE ORGANIC COMPOUND (VC	DC) INFORMATION					
There are no known Volatile Organic		s product.				
	SECTION 10 - STAE	BILITY AND REACTIVI	TY			
STABILITY	STABLE X	CONDITIONS TO AVOID:				
		Extreme temperatures. Open	flames , c	other sources of ignition.		
INCOMPATIBILITY (MATERIALS TO A)	√OID):					
Strong oxidizers, strong acids						
HAZARDOUS DECOMPOSITION OR B				· · · ·		
Decomposition will not occur if handl	ed and stored properly.	n case of a fire, oxides of carbo	on, hydro	carbons, fumes, and smoke		
may be produced. HAZARDOUS POLYMERIZATION:		CONDITIONS TO AVOID:				
MAZARDOUS POLYMERIZATION: Will Not Occur.		None Related to Polymerization	n			
	CTION 11 - TOXIC	OLOGICAL INFORMAT				
	CAS #	LD50 of Ingredient		LC50 of Ingredient		
Hazardous Components	EINECS #	(Specify Species and Rou	ute)	(Specify Species)		
Petroleum distillate, aromatic	64742-94-5	NE		Inhalation, rat: LC50 = >590		
	265-198-5		~~~	mg/m3/4H		
		LOGICAL INFORMATIC				
No data are available on the adverse eff chemical composition of this product it is limited quantities. However, such treatn this mixture are classified as a Marine P	s assumed that the mixture on nent should be evaluated ar	can be treated in an acclimatized	biological	waste treatment plant system in		
			NO			
S WASTE DISPOSAL METHOD:	ECTION 13 - DISPO	OSAL CONSIDERATIO	N3			
According to the European Waste Catale application for which the product is used Environment Parts 260 - 299" for compl Protection Agency before disposing of a	I. Dispose of in accordance lete waste disposal regulation ny chemicals.	with Local, State, and Federal Re	egulations your local	. Refer to "40 CFR Protection of		
PROPER SHIPPING NAME:	Flammable liquid, n.o.s	s. (petroleum distillates, aro	matic)			
DOT HAZARD CLASS / Pack Group:	Combustible / III	IATA HAZARD CLASS / Pacl	k Group:	3 / 111		
REFERENCE: 49 CFR 17	3.150, .203, .241	IMDG HAZARD CLASS:		3		
UN / NA IDENTIFICATION NUMBE	R: UN1993	RID/ADR Dangerous Goods	Code:	3		
LABEL: Flammable liquid		UN TDG Class / Pack Group):	3 / 111		
HAZARD SYMBOLS:	FLAMMABLE LIQUID	Hazard Identification Numbe	r (HIN):	30		
Note: Transportation information provided is f WHMIS (Canada) TDG information manuals						

shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	М	itsubishi SDP ·	- α OH Plate Pres	erver			
PRODUCT NUMBER:					DATE:	January 7, 2010	
SECTION 15 - REGULATORY INFORMATION							
TSCA (USA - Toxic Subs		,		nents of this pro	oduct are listed.		
SARA TITLE III (USA - S	uperfund Amend	ments and Reaut	horization Act):		Immediate health.		
Acute Healt	th: Ye	es		Chronic Health	:	NO	
Fire:	N	C		Sudden Releas	se of Pressure:	NO	
Reactive:	N	-					
SARA 313 REPORTABL	-						
CERCLA (USA - Compre	•	•	• •		None		
California Prop 65, Safe D					None		
CPR (Canadian Controlle Controlled Products Reg							
Classification: D2B	guiations and th		s an the mornatio	in required by th		cis Regulations. Whimis	
IDL (Canadian Ingredient	Disclosure List):	Liste	d.				
DSL / NDSL (Canadian D			mestic Substances	List): Compone	nts of this product	identified by CAS	
number are listed on the							
EINECS (European Inver					Referenced.	. , .	
WGK Water Quality Ind	ex: 1			VbK Index:	AIII		
RISK PHRASE	S:	SYMBOL(S) RI	EQUIRED FOR EU/ GI	HS LABELS	SAFET	Y PHRASES:	
R51/53 Toxic to aquatic	-					e reach of children.	
may cause long-term ad			</td <td>></td> <td>S23 Do not breathe</td> <td>•</td>	>	S23 Do not breathe	•	
in the aquatic environme					S24 Avoid contact		
R65 Damaging to lungs v swallowed	when	N. C.	Xn - Harmful			to the environment.	
R66 Repeated exposure	may cause	×	¥		sheets.	structions/safety data	
skin dryness or cracking		12	33			to not induce vomiting;	
R67 Vapors may cause of		N. Demos	l 🗸 🗸		seek medical advice immediately and		
and dizziness.		N- Dange	erous for the enviro	nment	show this label.	,, ,	
		SECTION 1	16 - OTHER IN	IFORMATIO	N		
Legend:							
ACGIH -	American Cong	gress of Governm	nent Industrial Hygie	enists			
CAS -	Chemical Abst						
EINECS -			Commercial Chemic	al Substances			
HMIS - IARC -		erials Identification gency for Resear					
NA -	Not Available	gency for itesear	ch on cancer				
ND -	Not Determine	d					
NE -	Not Establishe	d					
NR -	Not Reported						
NIOSH -		•	nal Safety and Healt	h			
NTP - OSHA -	National Toxic	Bafety and Health	Administration				
HMIS HAZARD RATINGS		EALTH:	Administration		1	0 = INSIGNIFICANT	
		AMMABILITY:			0 0	1 = SLIGHT	
		HYSICAL HAZAR	D:		0	2 = MODERATE	
			ECTIVE EQUIPMEN	NT:	c	3 = HIGH 4 = EXTREME	
REVISION SUMMARY:	Re	evised to EU/GHS	S/ANSI protocols 1/7	/2010 supersede	es 7/17/2009 issue		
MSDS Prepared by:			·				
ChemTel Inc							
1305 North Florida Avenue							
1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0585							
Website: www.chemtelinc.com							
The information contained be	rein is believed to	be accurate but is a	not warranted to be so	Data and calculat	tions are based on info	rmation furnished by the	
The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current,							
applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of thi							
reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of thi material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as							
described in Section 1.							