

Date: 20 December 2011

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

GHS Product Identifier SDP - a STL Solution A SDP - a STL Solution A Product Code

Chemical Name Mixture

Trade name SDP - a STL Solution A

CAS No. Mixture EINECS No. Mixture REACH Registration No. Not available

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified use(s) Users are recommended to seek further advice. Uses advised against Users are recommended to seek further advice.

1.3 Supplier's details

> Company Identification Mitsubishi Imaging (MPM), Inc.

Address 555 Theodore Fremd Avenue, Rye, NY 10580 USA

Telephone (914) 925-3200

E-Mail (competent person)

1.4 **Emergency telephone number - ChemTrec** 

Emergency Phone No. (800) 424-9300 (US/Canada), +01 (703) 527-3887 (Elsewhere)

## **SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP) -Eye Irritation 2 (3.3/2)
- 2.1.2 Directive 67/548/EEC & Directive 1999/45/EC -Irritant
- 2.2 Label elements
- 2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

GHS Product Identifier (EU)

Hazard pictogram(s)



Signal word(s) Warning

Hazard statement(s) H319: Causes serious eye irritation

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for Precautionary Statement(s) several minutes. Remove contact lenses, if present and easy to do.

Continue rinsina.

According to Directive 67/548/EEC & Directive 1999/45/EC 2.2.2 Label elements

Hazard Symbol

Page: 1/6



Risk Phrases R36: Irritating to eyes.

Safety Phrases S25: Avoid contact with eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

2.3 Other hazards Hazardous under OSHA Hazard Communication Standard (USA)

> HMIS: Health-1, Flammability- 0 Reactivity – 0 GHS Classification (USA): Irritant (Eyes).

H320: Causes eye irritation.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

WHMIS Classification (Canada): D2B - Toxic material causing other toxic effects. Irritant.

H319: Causes serious eye irritation.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

New Issue Expiration Date: 19 December 2014

### Revision: 2011.01

## SAFETY DATA SHEET SDP - a STL Solution A

Date: 20 December 2011

### 2.4 **Additional Information**

Potential Health Effects

Inhalation May cause mild irritation Eye Contact Causes moderate eye irritation.

Skin Contact May cause irritation.

Ingestion Product is a possible gastro-intestinal irritant.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### EC Classification No. 1272/2008/EC

Hazardous ingredient(s)	% W/W	CAS No. EC No. REACH Registration No.		REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)		
Nitrilotri(methylphosphonic acid) solution	1 - 2	6419-19-8	229-146-5	NR	<b>(!</b> )	3.3/2, H319	
Triethanolamine	7 - 13	102-71-6	203-049-8	NR	<b>!</b>	3.3/2, H319	
N-Methyldiethanolamine	1 - 5	105-59-9	203-312-7	NR	<b>!</b>	3.3/2, H319	
Succinic Acid	1 - 5	110-15-6	203-740-4	NR		3.2/2, 3.3/1, 3.8/3; H315, H318, H335	

### EC Classification No. 67/548/EEC

Hazardous ingredient(s)	% <b>W/W</b>	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases	
Nitrilotri(methylphosphonic acid) solution	1 - 2	6419-19-8	229-146-5	NR	×	Xi, R36
Triethanolamine	7 - 13	102-71-6	203-049-8	NR	×	Xi, R36
N-Methyldiethanolamine	1 - 5	105-59-9	203-312-7	NR	×	XI, R36
Succinic Acid	1 - 5	110-15-6	203-740-4	NR	×	Xi, R37/38, R41

#### 3.3 Additional Information

## **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

Inhalation Remove patient from exposure. Keep patient at rest and give oxygen if breathing difficult.

If symptoms develop, obtain medical attention.

Skin Contact Wash affected skin with soap and water. If symptoms develop, obtain medical attention. **Eve Contact** Remove contact lenses. Irrigate with eyewash solution or clean water, holding the eyelids

apart, for at least 15 minutes. If symptoms develop, obtain medical attention.

Inaestion Do not induce vomiting. Obtain immediate medical attention.

4.2 Most important symptoms and effects, Acute: Liquid product is irritant to eyes and skin.

both acute and delayed Delayed and chronic effects: Similar to acute exposures..

Indication of the immediate medical Treat symptomatically; ingestions may require patient monitoring attention and special treatment needed

to include diagnostic testing.

### **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 **Extinguishing media** 

4.3

5.2

5.3

Suitable Extinguishing Media Non-combustible.

Unsuitable Extinguishing Media None Special hazards arising from the None.

substance or mixture

Advice for fire-fighters

A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Ensure full personal protection (including respiratory

protection) during removal of spillages.

6.2 **Environmental precautions** Do not let product enter drains.

Mitsubishi Imaging (MPM), Inc.

Expiration Date: 19 December 2014 Page: 2/6

<sup>-</sup> For full text of H phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

SAFETY DATA SHEET Revision: 2011.01

SDP - α STL Solution A

6.3 Methods and material for containment

and cleaning up

Soak up with inert absorbent material and dispose

accordingly. Keep in suitable, closed containers for disposal.

Date: 20 December 2011

Reference to other sections 6.4 See Also Section 7, 8, 13. None

6.5 Additional Information

### **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling Wear suitable protective clothing and eye/face protection. Avoid

contact with eyes. Avoid ingestion.

7.2 Conditions for safe storage, including any incompatibilities

Store at ambient termperatures. Store in a closed container. Store in a well-ventilated place. Keep/store away from: Water-reactive materials

Storage Temperature Storage Life

Ambient temperatures. Not available

Incompatible materials

Water-reactive materials.

7.3 Specific end use(s) Consult the supplier.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Nitrilotri(methylphosphonic	6419-19-8	0.10.8 NE		NE	NE	OSHA
acid) solution	0419-19-0	NE	NE	NE	NE	ACGIH
Triethanolamine	102-71-6	NE	NE	NE	NE	OSHA
Thethanolamine	102-71-0	NE	5 mg/m <sup>3</sup>	NE	NE	ACGIH
N-methyldiethanol	105-59-9	NE	NE	NE	NE	OSHA
amine	105-59-9	NE	NE	NE	NE	ACGIH
Succinic Acid	110-15-6	NE	NE	NE	NE	OSHA ACGIH OSHA ACGIH OSHA
Succific Acid	110-15-6	NE	NE	NE	NE	ACGIH

## 8.1.2 Biological limit value

Biological limit values are not available for this product.

### 8.1.3 PNECs and DNELs

No PNECs and/or DNELs are available for this product.

### 8.2 **Exposure controls**

Appropriate engineering controls

Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation.

Personal protection equipment

Eye/face protection

Safety spectacles.



Skin protection (Hand protection/ Other)

Plastic or synthetic rubber gloves. Wear chemical resistant



Respiratory protection

Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.

Thermal hazards

8.2.3 **Environmental Exposure Controls**  Adequate ventilation must be used.

HMIS Personal Protective Equipment Letter Designation C

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Appearance Clear Liquid Yellowish Odour Odorless Odour Threshold (ppm) Not available Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): 212°F (100°C) Not available Flash Point (°C) Not Flammable Explosive limit ranges Not available Auto Ignition Temperature (°C) Not available Decomposition Temperature (°C) Not available Explosive properties Oxidising properties Not available Not available pH (Value) Flammability (solid, gas) Not available  $7.4 \pm 0.2$ Evaporation rate <1 Vapour Pressure (mm Hg) 17mm Hg @20°C Vapour Density (Air=1) Density (g/ml)  $1.060 \pm 0.005$ >1 Solubility (Water) Complete Solubility (Other) Not available Partition Coefficient (n-Octanol/water) Not available Viscosity (mPa.s) I ike water

9.2 Other information Volatile Organic Compound (VOC) Content: 265 g / L per EPA Method 24 (does not include water). VOC weight %: <5% (calc) per California CARB methodology.

Mitsubishi Imaging (MPM), Inc.

Expiration Date: 19 December 2014 Page: 3/6

### Revision: 2011.01

## SAFETY DATA SHEET SDP - α STL Solution A

Date: 20 December 2011

### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity None

10.2 Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 10.3 Can react violently if in contact with - strong acids, oxidizers

10.4 Conditions to avoid Extreme temperatures 10.5 Incompatible materials strong acids, oxidizers

10.6 **Hazardous Decomposition Product(s)** Oxides of carbon, Oxides of Nitrogen, hydrocarbons, fumes, smoke.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

Ingredient	CAS No.	LD <sub>50</sub> (Oral, Rat)	LC <sub>50</sub> (Inhalation, Rat)		
Nitrilotri(methylphosphonic acid) solution	6419-19-8	2,100 mg/kg	No Data		
Triethanolamine	102-71-6	5,530 mg/kg	No Data		
N-methyldiethanolamine	105-59-9	1,945 mg/kg	No Data		
Succinic Acid	110-15-6	2,260 mg/kg	No Data		

### 11.1 Information on toxicological effects

### 11.1.2 **Mixtures**

Acute toxicity May be harmful if swallowed. Irritation Eye irritant, possible skin irritant.

Corrosivity Not to be expected. Sensitisation Not to be expected. Repeated dose toxicity Similar to acute exposures.

Carcinogenicity None of the components present in this formulation at concentrations

equal to or greater than 0.1% are listed by the IARC, NTP or OSHA.

Mutagenicity Not to be expected.

Toxicity for reproduction No data 11.2 No data. Other information

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1 **Toxicity** No data... 12.2 Persistence and degradability No data. 12.3 Bioaccumulative potential No data.. 12.4 Mobility in soil No data. 12.5 Results of PBT and vPvB assessment No data.

126 Other adverse effects Environmental hazards cannot be excluded by inappropriate

handling or disposal.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment Do not empty into drains; dispose of this material and its container in a safe way.

methods Send to a licensed recycler, reclaimer or incinerator. Avoid release to the

environment. Decontaminate empty containers before recycling.

13.2 **Additional Information** None

## **SECTION 14: TRANSPORT INFORMATION**

### Land transport (ADR/RID) (a)(b) Land transport (Within USA) (a)(b)

**UN** number Not hazardous for transport **UN** number Not hazardous for transport Proper Shipping Name Not hazardous for transport Proper Shipping Name Not hazardous for transport Transport hazard class(es) Transport hazard class(es) Not hazardous for transport Not hazardous for transport **Packing Group** Not hazardous for transport Packing Group Not hazardous for transport Hazard label(s) Not hazardous for transport Hazard label(s) Not hazardous for transport Environmental hazards Environmental hazards Not hazardous for transport Not hazardous for transport Special precautions for user Not hazardous for transport Special precautions for user Not hazardous for transport

#### Sea transport (IMDG) (a)(b) Air transport (ICAO/IATA) (a)(b)

**UN** number **UN** number Not hazardous for transport Not hazardous for transport Proper Shipping Name Not hazardous for transport Proper Shipping Name Not hazardous for transport Transport hazard class(es) Not hazardous for transport Transport hazard class(es) Not hazardous for transport Packing Group Not hazardous for transport Packing Group Not hazardous for transport Marine Pollutant Not hazardous for transport Environmental hazards Not hazardous for transport Special precautions for user Not hazardous for transport Special precautions for user Not hazardous for transport

(a)- Consult with transport provider.

(b)- Check relevant regulations for Special Provisions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Mitsubishi Imaging (MPM), Inc.

Page: 4/6 Expiration Date: 19 December 2014

# SAFETY DATA SHEET SDP - α STL Solution A

ETY DATA SHEET Date: 20 December 2011

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use Consult the supplier.

European Union (EINECS/ELINCS) Referenced.

WGK number 2

### 15.1.2 National regulations

USA

TSCA (Toxic Substance Control Act)

SARA 311/312 - Hazard Categories

SARA 302 - Extremely Hazardous Substances

SARA 313 - Toxic Chemicals

CERCLA (Comprehensive Environmental Response

All chemicals listed

Acute Health Hazard.

Listed – None.

Listed – None

Listed – None

Compensation and Liability Act)

CAA (Clean Air Act 1990)

CWA (Clean Water Act)

State Right to Know Lists

Proposition 65 (California)

Listed – None.

Listed – MA, NJ, PA

Listed – None

Canada

WHMIS Classification D2B – Toxic material causing other toxic effects.

Canada (DSL/NDSL) Listed – DSL Canada Ingredient Disclosure List (CIDL) Listed – None

**15.2** Chemical Safety Assessment: Harmful if swallowed, Irritant (to eyes).

### **SECTION 16: OTHER INFORMATION**

### The following sections contain revisions or new statements: 1-16.

### **LEGEND**

LEGEN	טו		
ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FDA	Food and Drug Administration	STEL	short-term exposure limit
HMIS	Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and
			Poisons (Australia)
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mĹ	milliliter	WHMIS	Workplace Hazardous Material Information System

**References:** RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information

Mitsubishi Imaging (MPM), Inc.

Page: 5/6 Expiration Date: 19 December 2014

Revision: 2011.01

## SAFETY DATA SHEET SDP - a STL Solution A

Date: 20 December 2011

### **Risk Phrases**

R36: Irritating to eyes.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

### **Hazard statement(s)**

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H320: Causes eye irritation.

H335: May cause respiratory irritation.

Training advice: None

Additional Information: Ingredient names for labeling purposes (CAS #) - Water (7732-18-5), Triethanolamine (102-71-6), N-methyldiethanolamine (105-59-9), Succinic Acid (110-15-6), Nitrilotrimethylphosphonic acid (6419-19-8)

The information contained herein is believed to be accurate but is not warranted to be so. calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Page: 6/6 Expiration Date: 19 December 2014