

Date: 20 December 2011

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

GHS Product Identifier TDP - DL3 Fountain Solution Concentrate

TDP - DL3 Product Code Chemical Name Mixture

Trade name TDP - DL3 Fountain Solution Concentrate

CAS No. EINECS No. Mixture REACH Registration No. Not available

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified use(s) Users are recommended to seek further advice. Uses advised against Users are recommended to seek further advice.

1.3 Supplier's details

> Company Identification Mitsubishi Imaging (MPM), Inc.

Address 555 Theodore Fremd Avenue, Rye, NY 10580 USA

Telephone (914) 925-3200

E-Mail (competent person)

1.4 **Emergency telephone number – ChemTrec** 

Emergency Phone No. (800) 424-9300 (US/Canada), +01 (703) 527-3887 (Elsewhere)

### **SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP) -Skin Irritation 2 (3.2/2); Eye Irritation 2 (3.3/2),

Specific target organ toxicity — single exposure (3.8/3)

- 2.1.2 Directive 67/548/EEC & Directive 1999/45/EC -Irritant
- 2.2 Label elements
- According to Regulation (EC) No. 1272/2008 (CLP) 2.2.1 Label elements

GHS Product Identifier (EU)

Hazard pictogram(s)



Signal word(s) Warning

Hazard statement(s) H315: Causes skin irritation.

> H319: Causes serious eve irritation H335: May cause respiratory irritation.

Precautionary P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face Statement(s)

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

#### 2.2.2 Label elements

Hazard Symbol

#### According to Directive 67/548/EEC & Directive 1999/45/EC

Risk Phrases R36/37/38: Irritating to eyes, respiratory system and skin.

Safety Phrases S25: Avoid contact with eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S46 If swallowed, seek medical advice immediately and show this container or

label.

Page: 1/7 New Issue Expiration Date: 14 December 2014

## SAFETY DATA SHEET

TDP - DL3 Fountain Solution Concentrate

#### 2.3 Other hazards Hazardous under OSHA Hazard Communication Standard (USA)


HMIS: Health-1. Flammability- 0 Reactivity - 0

GHS Classification (USA): Irritant (Eyes).Irritant (Skin)

H315: Causes skin irritation

H319: Causes serious eve irritation

H335: May cause respiratory irritation.



H315: Causes skin irritation.

H319: Causes serious eye irritation

H335: May cause respiratory irritation.





Date: 20 December 2011

#### 2.4 Additional Information

Potential Health Effects

Inhalation May cause mild irritation. Eve Contact Causes moderate eye irritation. Skin Contact May cause skin irritation.

Product is a gastro-intestinal irritant. Ingestion

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### EC Classification No. 1272/2008/EC

Hazardous ingredient(s)	% W/W	CAS No.	EC No.	REACH Registration No.		ogram(s) and atement(s)
Sodium Hydroxide	0.1-1.0	1310-73-2	215-185-5	NR		3.2/1A, H314
Succinic Acid	0.1-2.0	110-15-6	203-740-4	NR		3.2/2, 3.3/1, 3.8/3; H315, H318, H335
2,2-Iminodiethanol (Diethanolamine)	0.1-0.5	111-42-2	203-868-0	NR		3.1/4,3.2/2, 3.3/1, 3.9/2:H302, H315, H318, H373
Amorphous silica dispersion	5.0-10.0	7631-86-9	231-545-4	NR	<b>!</b>	3.3/2,3.8/3; H319, H335

#### EC Classification No. 67/548/EEC

Hazardous ingredient(s)	% W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Sodium Hydroxide	0.1-1.0	1310-73-2	215-185-5	NR	Xi, R36/38
Succinic Acid	0.1–2.0	110-15-6	203-740-4	NR	Xi, R37/38, R41
2,2-Iminodiethanol (Diethanolamine)	0.1-0.5	111-42-2	203-868-0	NR	Xn, R22, R38,R41, R48/22
Amorphous silica dispersion	5.0-10.0	7631-86-9	231-545-4	NR	Xi, R36/37

#### 3.3 **Additional Information**

- For full text of H phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Inhalation Remove patient from exposure. Keep patient at rest and give oxygen if

breathing difficult. If symptoms develop, obtain medical attention.

Skin Contact Wash affected skin with soap and water. If symptoms develop, obtain medical

attention.

Remove contact lenses. Irrigate with evewash solution or clean water, holding Eye Contact

the eyelids apart, for at least 15 minutes. If symptoms develop, obtain medical

attention.

Ingestion Do not induce vomiting. Obtain immediate medical attention.

4.2 Most important symptoms and **Acute:** Liquid product is irritant to eyes and skin. effects, both acute and delayed **Delayed and chronic effects:** Similar to acute exposures.

Mitsubishi Imaging (MPM), Inc.

Page: 2/7 Expiration Date: 14 December 2014

#### Revision: 2011.01 Date: 20 December 2011 SAFETY DATA SHEET

## TDP - DL3 Fountain Solution Concentrate

4.3 attention and special treatment

needed

**Indication of the immediate medical** Treat symptomatically; ingestions may require patient

monitoring to include diagnostic testing.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

Extinguishing media 5.1

> Suitable Extinguishing Media Unsuitable Extinguishing Media

Non-combustible.

5.2 Special hazards arising from the

substance or mixture

None None.

Advice for fire-fighters 5.3

A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective

equipment and emergency procedures

Ensure full personal protection (including respiratory

protection) during removal of spillages.

6.2 **Environmental precautions** 

Methods and material for 6.3 containment and cleaning up Do not let product enter drains. Soak up with inert absorbent material and dispose

accordingly. Keep in suitable, closed containers for

disposal. See Also Section 7, 8, 13.

6.4 Reference to other sections

6.5 **Additional Information** 

None

## **SECTION 7: HANDLING AND STORAGE**

7.1 **Precautions for safe** Wear suitable protective clothing and eye/face protection. Avoid

contact with eyes. Avoid ingestion. handling

7.2 Conditions for safe storage,

> including any incompatibilities

Store at ambient termperatures. Store in a closed container. Store in a well-ventilated place. Keep/store away from: Water-

reactive materials. Ambient temperatures.

Storage Temperature Storage Life

Not available.

Incompatible materials Specific end use(s)

Water-reactive materials. Consult the supplier.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **Control parameters**

7.3

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Sodium Hydroxide	1310-73-2	NE	2 Ceiling	NE	NE	OSHA
Socialii i iyaloxide	1310-73-2	NE	NE 2 Ceiling		NE	ACGIH
Succinic Acid	110-15-6	NE	NE	NE	NE	OSHA
Succinic Acid	110-13-6	NE	NE	NE	NE	ACGIH
2,2-Iminodiethanol	111-42-2	3	15	NE	NE	OSHA
(Diethanolamine)	111-42-2	NE	2	NE	NE	ACGIH
Amorphous silios		NE	NE	NE	NE	OSHA
Amorphous silica dispersion	7631-86-9	NE	NE	NE	NE	ACGIH
dispersion		NF	NF	NF	NF	ACGIH

### 8.1.2 Biological limit value

Biological limit values are not available for this product.

#### 8.1.3 PNECs and DNELs

No PNECs and/or DNELs are available for this product.

#### 8.2 **Exposure controls**

8.2.1 Appropriate engineering controls

Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation.

Mitsubishi Imaging (MPM), Inc.

Page: 3/7 Expiration Date: 14 December 2014

# SAFETY DATA SHEET TDP – DL3 Fountain Solution Concentrate

Date: 20 December 2011

#### 8.2.2 Personal protection equipment



Eye/face protection Safety spectacles.



Skin protection

Plastic or synthetic rubber gloves. Wear chemical resistant

(Hand protection/ Other) apron.



Respiratory protection Wear suitable respiratory protective equipment if exposure

to levels above the occupational exposure limit is likely.

Thermal hazards N

**8.2.3 Environmental Exposure Controls** Adequate ventilation must be used.

HMIS Personal Protective Equipment Letter Designation C

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

Appearance Clear Liquid Colour Colorless Odour Amine odor Odour Threshold (ppm) Not available Melting Point (°C) / Freezing Point (°C) Not available Boiling point/boiling range (°C): NR

Flash Point (°C) Non-Flammable Explosive limit ranges Not available Auto Ignition Temperature (°C) Not available Decomposition Temperature (°C) Not available Oxidising properties Explosive properties Not available Not available Flammability (solid, gas) Not available pH (Value) 4.41 ± 0.2 @ 25°C Evaporation rate Vapour Pressure (mm Hg) NA NA

Vapour Density (Air=1)NADensity (g/ml)1.127 ± 0.005@ 25°CSolubility (Water)CompleteSolubility (Other)Not availablePartition Coefficient (n-Octanol/water)Not availableViscosity (mPa.s)Not Specified

9.2 Other information Volatile Organic Compound (VOC) Content: 660 g / L per EPA Method 24 (does

not include water). VOC weight %: <10% (calc) per California CARB methodology.

#### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** None.

**10.2 Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions Can react violently if in contact with - strong acids, oxidizers.

**10.4 Conditions to avoid** Extreme temperatures

**10.5** Incompatible materials Strong acids, oxidizers, strong alkalis.

10.6 Hazardous Decomposition Oxides of carbon, Oxides of Nitrogen, Ammonia,

**Product(s)** hydrocarbons, fumes, smoke.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Ingredient	CAS No.	LD <sub>50</sub> (Oral, Rat)	LC <sub>50</sub> (Inhalation, Rat)
Sodium Hydroxide	1310-73-2	No Data	No Data
Succinic Acid	110-15-6	2,260 mg/kg	No Data
2,2-Iminodiethanol (Diethanolamine)	111-42-2	710mg/kg	No Data
Amorphous silica dispersion	7631-86-9	No Data	No Data

#### 11.1 Information on toxicological effects

## 11.1.2 Mixtures

Acute toxicity May be harmful if swallowed.

Irritation Eye irritant, possible skin and respiratory irritant. Corrosivity Slight - more likely with prolonged contact.

Sensitisation Not to be expected.

Repeated dose toxicity Similar to acute exposures.

Carcinogenicity None of the components present in this formulation at

concentrations equal to or greater than 0.1% are listed by the

IARC, NTP or OSHA.

Mutagenicity No data.

Toxicity for reproduction No data.

Other information No data.

Mitsubishi Imaging (MPM), Inc.

11.2

Page: 4/7 Expiration Date: 14 December 2014

## SAFETY DATA SHEET TDP - DL3 Fountain Solution Concentrate

Date: 20 December 2011

Not hazardous for transport

Not hazardous for transport

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity Unlikely to be harmful except in large quantities.

12.2 Persistence and degradability No data. 12.3 Bioaccumulative potential No data. 12.4 Mobility in soil No data. 12.5 Results of PBT and vPvB assessment No data.

12.6 Other adverse effects Environmental hazards cannot be excluded by

inappropriate handling or disposal.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment

methods

Do not empty into drains; dispose of this material and its container in a safe way. Send to a licensed recycler, reclaimer or incinerator. Avoid release to

the environment. Decontaminate empty containers before recycling.

13.2 Additional Information None

#### **SECTION 14: TRANSPORT INFORMATION**

Land transport (ADR/RID) (a)(b)			Land transport (Within USA) (a)(b)				
	UN number	Not hazardous for transport	UN number	Not hazardous for transport			
	Proper Shipping Name	Not hazardous for transport	Proper Shipping Name	Not hazardous for transport			
	Transport hazard class(es) Not hazardous for transport		Transport hazard class(es)	Not hazardous for transport			
	Packing Group	Not hazardous for transport	Packing Group	Not hazardous for transport			
	Hazard label(s)	Not hazardous for transport	Hazard label(s)	Not hazardous for transport			
	Environmental hazards	Not hazardous for transport	Environmental hazards	Not hazardous for transport			
	Special precautions for user	Not hazardous for transport	Special precautions for user	Not hazardous for transport			
	Sea transport (IMDG) (a)(b)		Air transport (ICAO/IATA) (a)(b)				
	UN number	Not hazardous for transport	UN number	Not hazardous for transport			
	Proper Shipping Name	Not hazardous for transport	Proper Shipping Name	Not hazardous for transport			
	Transport hazard class(es)	Fransport hazard class(es)  Not hazardous for transport		Not hazardous for transport			
	Packing Group	Not hazardous for transport	Packing Group	Not hazardous for transport			

<sup>(</sup>a)- Consult with transport provider.

Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not hazardous for transport Environmental hazards

Not hazardous for transport Special precautions for user

#### 15.1.1 **EU** regulations

Marine Pollutant

Authorisations and/or restrictions on use European Union (EINECS/ELINCS)

Referenced

Consult the supplier.

1

WGK number

15.1.2 National regulations

USA

TSCA (Toxic Substance Control Act) SARA 311/312 - Hazard Categories

SARA 302 - Extremely Hazardous Substances

SARA 313 - Toxic Chemicals CERCLA (Comprehensive Environmental Response

Compensation and Liability Act) CAA (Clean Air Act 1990)

CWA (Clean Water Act) State Right to Know Lists

Proposition 65 (California)

All chemicals listed

None

Listed - None. Listed - None.

Listed - 20000 lbs as RQ.

Listed - None. Listed - None.

Listed -CAS# 7631-86-9 (Amorphous

silica) CA,MA, MN, NJ, PA

Listed - None.

Expiration Date: 14 December 2014 Page: 5/7

<sup>(</sup>b)- Check relevant regulations for Special Provisions.

## SAFETY DATA SHEET TDP - DL3 Fountain Solution Concentrate

## Date: 20 December 2011

#### Canada

WHMIS Classification D2B - Toxic material causing other toxic effects. Canada (DSL/NDSL) - Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations.

Canada Ingredient Disclosure List (CIDL) Listed - CAS# 110-15-6, 111-42-2 are listed on

Canada's Ingredient Disclosure List

not applicable not available

15.2 Chemical Safety Assessment: Harmful if swallowed, Irritant (to eyes), Irritant to Skin, Possibly irritant if Inhaled.

#### **SECTION 16: OTHER INFORMATION**

### The following sections contain revisions or new statements: 1-16.

ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FDA	Food and Drug Administration	STEL	short-term exposure limit
HMIS	Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and
			Poisons (Australia)
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mĹ	milliliter	WHMIS	Workplace Hazardous Material Information System

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information

#### **Risk Phrases**

R34: Causes burns.

R36: Irritating to eyes.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

R48/22: Harmful: danger of serious damage to health by prolonged exposure if swallowed.

#### **Hazard statement(s)**

H302 Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H320: Causes eye irritation.

H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure

Mitsubishi Imaging (MPM), Inc.

Page: 6/7 Expiration Date: 14 December 2014

# **TDP - DL3 Fountain Solution Concentrate**

Date: 20 December 2011 SAFETY DATA SHEET

Training advice: None

Additional Information: Ingredient names for labeling purposes (CAS #) - Water (7732-18-5), Glycerin (56-81-5), Sodium Hydroxide (1310-73-2), Succinic Acid (110-15-6), Diethanolamine (111-42-2), Amorphous silica dispersion (7631-86-9)

The information contained herein is believed to be accurate but is not warranted to be so. calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Page: 7/7 Expiration Date: 14 December 2014