Page: 1/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)
- · Other means of identification: No other identifiers
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: Industrial uses.
- · Uses advised against: No further relevant information available.
- 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Mitsubishi Imaging (MPM), Inc. 555 Theodore Fremd Avenue Rye, NY 10580 USA

Phone: (914)925-3200



· 1.4 Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada)

+01 703-527-3887 (International)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHSU8

- · Signal word Warning
- · Hazard-determining components of labelling:

Ethylene glycol

· Hazard statements

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure:

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

(Cont'd. from page 1)

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Components:		
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-XXXX	Ethylene glycol STOT RE 2, H373 Acute Tox. 4, H302	10-20%
CAS: 7440-22-4 EINECS: 231-131-3 Reg.nr.: 01-2119555669-21-XXXX	silver substance with a Community workplace exposure limit	10-20%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-XXXX	Ethanol Flam. Liq. 2, H225 Eye Irrit. 2, H319	1-2%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-XXXX	Propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	<1%

· Additional information: For the wording of the listed Hazard Statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately remove any clothing soiled by the product.

Wash with soap and water.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

A person vomiting while lying on their back should be turned onto their side.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

Coughing

Gastric or intestinal disorders.

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

(Cont'd. from page 2)

- Nausea
- · Hazards:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

• **4.3 Indication of any immediate medical attention and special treatment needed**Contains ethanediol. Consult literature for specific antidotes.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- **6.2 Environmental precautions** Avoid release to the environment.
- · 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use only outdoors or in a well-ventilated area.

Avoid splashes or spray in enclosed areas.

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes and skin.

Open and handle receptacle with care.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

(Cont'd. on page 4)

Page: 4/10

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

(Cont'd. from page 3)

Store away from oxidising agents.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control paran	neters
_	nit values that require monitoring at the workplace:
107-21-1 Ethylene (
IOELV (EU)	Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin
EL (Canada)	Short-term value: 20** mg/m³ Long-term value: 10** mg/m³ Ceiling limit: 100* mg/m³, 50*** ppm *Aerosol; **Particulate; ***Vapour
EV (Canada)	Ceiling limit: 100 mg/m³
WEL (Great Britain)	Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour
OEL (Ireland)	Short-term value: 104** mg/m³, 52** ppm Long-term value: 10* 20** mg/m³ Sk, IOELV; *particulate **vapour
TLV (USA)	Short-term value: 10** mg/m³, 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only
WEEL (USA)	l (2)
7440-22-4 silver	
IOELV (EU)	Long-term value: 0,1 mg/m³
EL (Canada)	Short-term value: 0,03 mg/m³ Long-term value: 0,01 mg/m³ as Ag
EV (Canada)	Long-term value: 0,1* 0,01** mg/m³ *metal;**water-soluble compdounds (as silver)
WEL (Great Britain)	Long-term value: 0,1 mg/m³
OEL (Ireland)	Long-term value: 0,1 mg/m³ IOELV
PEL (USA)	Long-term value: 0,01 mg/m³
REL (USA)	Long-term value: 0,01 mg/m³
TLV (USA)	Long-term value: 0,1 mg/m³ metal: dust and fume
64-17-5 Ethanol	
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm
	(Cont'd. on page 5

Page: 5/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

	(Cont'd. fron	n page 4)
OEL (Ireland)	Short-term value: 1000 ppm	
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm	
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm	
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm	
67-63-0 Propan-2-o	i	
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm	
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm	
WEL (Great Britain)	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
OEL (Ireland)	Short-term value: 400 ppm Long-term value: 200 ppm Sk	
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm	
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI	

· Ingredients with biological limit values:

67-63-0 Propan-2-ol

BEI (USA) 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

8.2 Exposure controls

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke whlle using the product.

Avoid contact with the eyes and skin.

Avoid breathing mist/vapours/spray.

· Respiratory protection:

Wear appropriate NIOSH or EU approved respirator when ventilation is inadequate and occupational exposure limits are exceeded.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:

(Cont'd. on page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

(Cont'd. from page 5)



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

SECTION 9: Physical and ch	emical properties
9.1 Information on basic physic	cal and chemical properties
Appearance	
Form:	Liquid
Colour:	Dark brown
· Odour:	Alcohol-like
Odour threshold:	Not determined.
· pH-value:	6-8
Melting point/freezing point:	Not determined.
Initial boiling point and boiling ran	nge: Not determined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Auto/Self-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Non-oxidising.
Vapour pressure:	Not determined.
Density:	
Relative density:	1,15-1,25
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
water:	Soluble.
Partition coefficient: n-octanol/wat	ter: Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

Page: 7/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

(Cont'd. from page 6)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents.

Reacts with strong acids and alkali.

- · 10.4 Conditions to avoid Excessive heat.
- · 10.5 Incompatible materials Oxidisers, strong bases, strong acids
- 10.6 Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Nitrogen oxides

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

107-21-1 Ethylene glycol

Dermal LD50 9530 mg/kg (rabbit)

- Primary irritant effect
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

64-17-5 Ethanol

|1

Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

(Cont'd. from page 7)

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated
· 14.2 UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated
14.3 Transport hazard class(es)	
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not Regulated
· 14.4 Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annof Marpol and the IBC Code	nex II Not applicable.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture (Cont'd. on page 9)

Page: 9/10

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

Revision: 17 June 2019

United States (U	SA)
SARA	4
Section 302 (exti	remely hazardous substances):
None of the ingre	dients are listed.
Section 355 (ext	remely hazardous substances):
None of the ingre	dients are listed.
Section 313 (Spe	ecific toxic chemical listings):
107-21-1 Ethyle	ne glycol
7440-22-4 silver	
67-63-0 Propa	n-2-ol
TSCA (Toxic Sub	ostances Control Act):
All ingredients are	e listed or exempt.
Proposition 65 (California):
	n to cause cancer:
•	efers specifically to alcoholic beverage consumption and is not applicable for product.
64-17-5 Ethanol	
	n to cause developmental toxicity for females:
None of the ingre	dients are listed.
	n to cause developmental toxicity for males:
None of the ingre	
	n to cause developmental toxicity:
107-21-1 Ethylen	efers specifically to alcoholic beverage consumption and is not applicable for product.
64-17-5 Ethano	~ .
7440-22-4 silver	ntal Protection Agency)
•	nal Agency for Research on Cancer)
64-17-5 Ethanol	
	stic Substances List (DSL)
All ingredients are	·
Directive 2012/18	B/EU us substances - ANNEX I None of the ingredients are listed.
_	-
-	s, limitations and prohibitive regulations ery high concern (SVHC) according to REACH, Article 57
None of the ingre	

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any (Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 17 June 2019

Trade name: NBSIJ-FD02 (Silver Nano Particle Ink)

(Cont'd. from page 9)

specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com