

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **SLM-OD30N Silver Master Dampening Solution**
- **Article number:** No other identifiers
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture:** Industrial uses.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Mitsubishi Imaging (MPM), Inc.
555 Theodore Fremd Avenue
Rye, NY 10580 USA
Phone: (914)925-3200
- **1.4 Emergency telephone number:**
CHEMTREC
1-800-424-9300 (US/Canada)
+01 703-527-3887 (International)



SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified as hazardous according to OSHA GHS regulations within the United States.
The product is not classified as hazardous according to the CLP regulation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is not classified as hazardous according to OSHA GHS regulations within the United States.
The product is not classified as hazardous according to the CLP regulation.
- **Hazard pictograms** Not Regulated
- **Signal word** Not Regulated
- **Hazard-determining components of labelling:** Not applicable.
- **Hazard statements** None.
- **Precautionary statements** Not Regulated.
- **Additional information:**
Safety data sheet available on request.

- **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

Trade name: SKM-OD30N Silver Master Dampening Solution

(Cont'd. from page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Components:

CAS: 143-22-6 EINECS: 205-592-6 Index number: 603-183-00-0	2-[2-(2-butoxyethoxy)ethoxy]ethanol ☠ Eye Dam. 1, H318	1-5%
CAS: 7631-86-9 EINECS: 231-545-4	precipitated silica (silica - amorphous) substance with a Community workplace exposure limit	1-5%
CAS: 102-71-6 EINECS: 203-049-8	2,2',2''-nitrilotriethanol substance with a Community workplace exposure limit	<1%

· Additional information:

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.
For the wording of the listed Hazard Statements refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Wash with soap and water.
Launder contaminated clothing before reuse.
Seek medical treatment in case of complaints.

· After eye contact:

Protect unharmed eye.
Remove contact lenses if worn.
Rinse opened eye at least 15 minutes under running water.
Seek medical treatment in case of complaints.

· After swallowing:

Rinse out mouth and then drink plenty of water.
Do not induce vomiting.
If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

Coughing, dizziness, if inhaled.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

The product is not flammable.
Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: None.

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

Trade name: SKM-OD30N Silver Master Dampening Solution

(Cont'd. from page 2)

- **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

- **5.3 Advice for firefighters**

- **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Use personal protective equipment as required.

- **6.2 Environmental precautions** Avoid release to the environment.

- **6.3 Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

- **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use personal protective equipment as required.

- **Information about fire - and explosion protection:** No special measures required.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:** Store away from foodstuffs.

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

7631-86-9 precipitated silica (silica - amorphous)
NIOSH REL (USA) Long-term value: 6 mg/m ³

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

Trade name: SKM-OD30N Silver Master Dampening Solution

(Cont'd. from page 3)

OSHA PEL (USA)	Long-term value: 80 mg/m ³
----------------	---------------------------------------

102-71-6 2,2',2"-nitritotriethanol

TLV (USA)	Long-term value: 5 mg/m ³
-----------	--------------------------------------

- **DNELs:** No further relevant information available.
- **PNECs:** No further relevant information available.
- **8.2 Exposure controls**
- **Engineering measures** No special measures required.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:** Avoid release to the environment.
- **Risk management measures:** See Section 7 for additional information.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance

- | | |
|---------------------------|-----------------|
| · Form: | Liquid |
| · Colour: | Whitish-yellow. |
| · Odour: | Slight |
| · Odour threshold: | Not determined. |

- | | |
|---------------------------------------|-------------------|
| · pH-value: | 5,5-6,5 |
| · Melting point/Melting range: | -4 °C (25 °F) |
| · Boiling point/Boiling range: | >100 °C (>212 °F) |

- | | |
|-----------------------|-----------------|
| · Flash point: | Not applicable. |
|-----------------------|-----------------|

- | | |
|---|-----------------|
| · Flammability (solid, gaseous): | Not applicable. |
|---|-----------------|

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

Trade name: SKM-OD30N Silver Master Dampening Solution

(Cont'd. from page 4)

· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	
Relative density:	1,00-1,10
Vapour density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
Keep away from heat and direct sunlight.
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid**
Excessive heat.
Direct sunlight.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products**
Carbon monoxide and carbon dioxide
Nitrogen oxides

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

Trade name: SKM-OD30N Silver Master Dampening Solution

(Cont'd. from page 5)

- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect**
- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer):		
7631-86-9	precipitated silica (silica - amorphous)	3
102-71-6	2,2',2''-nitrioltriethanol	3

7631-86-9	precipitated silica (silica - amorphous)	3
102-71-6	2,2',2''-nitrioltriethanol	3

· NTP (National Toxicology Program):		
None of the ingredients are listed.		

None of the ingredients are listed.		
-------------------------------------	--	--

· OSHA-Ca (Occupational Safety & Health Administration):		
None of the ingredients are listed.		

None of the ingredients are listed.		
-------------------------------------	--	--

- **Probable routes of exposure:**

- Eye contact.
- Skin contact.

- **Repeated dose toxicity:** No further relevant information available.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

Trade name: SKM-OD30N Silver Master Dampening Solution

(Cont'd. from page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA Not Regulated

· 14.2 UN proper shipping name

· DOT, ADR, IMDG, IATA Not Regulated

· 14.3 Transport hazard class(es)

· DOT, ADR, IMDG, IATA

· Class Not Regulated

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user

Not applicable.

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

Trade name: SKM-OD30N Silver Master Dampening Solution

(Cont'd. from page 7)

· **Section 313 (Specific toxic chemical listings):**

143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol
----------	-------------------------------------

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer)**

7631-86-9	precipitated silica (silica - amorphous)	3
102-71-6	2,2',2"-nitrilotriethanol	3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H318 Causes serious eye damage.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods

(Cont'd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 11.07.2016

Revision: 11.07.2016

Trade name: SKM-OD30N Silver Master Dampening Solution

(Cont'd. from page 8)

DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 LDLo: Lowest Lethal Dose Observed
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)
 Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor-internet/registry/substreg/home/overview/home.do)
 Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
 Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6
 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
 Safety Data Sheets, Individual Manufacturers

SDS Prepared by:
 ChemTel Inc.
 1305 North Florida Avenue
 Tampa, Florida USA 33602-2902
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
 Website: www.chemtelinc.com